Product specifications

Eaton 170M3458

Catalog Number: 170M3458

Fuse-link, high speed, 40 A, AC 690 V, compact size 1, 45 x 59 x 51 mm, aR, IEC, UL, single indicator



General specifications

Product Name
Eaton Bussmann series high speed square body fuse

Catalog Number
170M3458

Model Code
FUSE 40A 690V 1*BKN/50 AR UC

UPC
051712799911

EAN
5027590447775

Product Length/Depth
193 mm

Product Height
47 mm

Product Width
106 mm

Product Weight
245.3333333 g

Warranty
Not Applicable

Compliances
CE Marked
RoHS Compliant

Certifications
IEC Rated
UL Recognized

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

40 A

Breaking capacity

200 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

1*

Rated voltage AC

690 V

Center-to-center distance of connections

50 mm

Current type

AC

Mounting dimension

M8

Class

Class aR

Clearing (I2T)

270 at 660 V

Watt losses

9 W

Fuse shape

Square body, flush end contacts

Resources

Catalogs

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

170M3458~Eaton Bussmann series high speed square body fuse

Bussmann series complete full line catalog no. 1007

Compliance information

CE Fuse-links for the protection of semiconductor devices, sz1* up to 630A

UKCA Fuse-links for the protection of semiconductor devices, sz1* up to 630A

Pre arc (I2T)

40

Color

None

Interrupt rating

200 kAIC

Fitted with:

Type K Indicator for micro

Construction size

Other

Mounting method

Flush

Packaging type

Standard

Voltage rating

690 V (IEC), 700 V (UL)

Fuse type

Flush end

BKN/Type K Indicator for Micro

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia