Product specifications

Eaton 80K07CR

Catalog Number: 80K07CR

Fuse-link, low voltage, 80 A, AC 600 V, DC 250 V, HRCII-C, gL/gG, CSA

General specifications

Product Name
Eaton Bussmann series low voltage British standard fuse

Catalog Number
80K07CR

UPC
051712550819

EAN
5027590490535

Product Length/Depth
104 mm

Product Height
90 mm

Product Width
112 mm

Product Weight
53.35 g

Warranty
Not Applicable

Compliances
RoHS Compliant

Electrical rating

Amperage Rating

80 A

Breaking capacity

200 kA

Frequency rating - max

50 Hz

Interrupt rating

200 kAIC

Rated switching capacity

200 kA

Voltage rating

600 V

Voltage type

AC/DC

Physical details

Color

None

Material

Ceramic body

General information

Class

Class gG/gL

Connection

Offset blade connection

Construction size

Other

Construction type

HRCII-C

Fuse indicator

None

Fuse shape

Offset bolted tags

Insulated metal gripping lugs (IMGL)

No

Utilization category

gL/gG (cable protection/equipment protection)

Resources

Catalogs

80K07CR~Eaton Bussmann series low voltage British standard fuse

Bussmann series complete full line catalog no. 1007

Specifications and datasheets

Eaton Specification Sheet - 80K07CR



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia