Product specifications

Eaton TMCX150 2 L

Catalog Number: TMCX150 2 L

Eaton Crouse-Hinds series Terminator II TMCX cable gland,Liquid compound,Cable Range:1.42-2.07",Cable Sealing:2 (M),Metal-cladcorrugated armoured,TECK armoured,armoured barrier and tray cable,Armoured gland, Aluminum, 1-1/2" NPT

General specifications

Product Name	**Catalog Number**
Eaton Crouse-Hinds series Terminator II TMCX cable gland	TMCX150 2 L
	UPC
	662276438378
Product Length/Depth	**Product Height**
5.96 in	4.11 in
Product Width	**Product Weight**
4.11 in	8.32 lb

Powering Business Worldwide

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

NEMA Rating

4X

6P

Product specifications

Protection type

Explosion-proof

Cable type

Armoured barrier

Metal-clad with interlocked or continuously welded corrugated armoured

TECK armoured

Tray cable

Gland type

Armoured

Thread Size

1-1/2"

Thread type

NPT

Cable sealing range

2 (M)

Cable range (min/max)

1.42-2.07"

Material

Aluminum

Barrier type

Liquid Compound

Resources

Brochures

Crouse-Hinds series TMCX II brochure

Crouse-Hinds series Chico LiquidSeal flyer

Catalogs

Crouse-Hinds series TMCX II catalog page

Certification reports

TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier Gland UL certification

TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier Gland Canadian certification

Installation instructions

IF 1647 - TMCX Terminator II Cable Gland

IF 1647B - TMCX Terminator II Cable Gland

Specifications and datasheets

Eaton Specification Sheet - TMCX150 2 L

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia