Product specifications

Eaton 170M1760

Catalog Number: 170M1760

Fuse-link, high speed, 250 A, AC 690 V, size 000, 24 x 36 x 96 mm, aR, IEC, UL



General specifications

Product Name
Eaton Bussmann series high speed square body fuse

Catalog Number
170M1760

Model Code
FUSE 250A 750V DC 000FU/70 AR CU

UPC
051712388320

EAN
5027590441568

Product Length/Depth
140 mm

Product Height
40 mm

Product Width
102 mm

Product Weight
150.6 g

Warranty
Not Applicable

Compliances
Contact factory
RoHS Compliant

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

Fuse

Application

IGBT circuits, semiconductor protection

Amperage Rating

250 A

Breaking capacity

50 kA

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

000

Rated voltage DC

690 V

Center-to-center distance of connections

73.8 mm

Current type

DC

Mounting dimension

M8

Class

Class aR

Watt losses

48 W

Fuse shape

Square body, offset bolted tags

Color

None

Interrupt rating

Resources

Catalogs

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

Bussmann series complete full line catalog no. 1007

170M1760~Eaton Bussmann series high speed square body fuse

Software release notes, schemes, and security updates

Product Change Notification PCN-BUR-00193

50 kAIC

Construction size

000

Packaging type

Standard

Voltage rating

690 V

Fuse type

Bolted tag

Fuse system (according to IEC 60269)

Other

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia