Product specifications

Eaton 2600HR11E

Catalog Number: 2600HR11E

Hi-Lite Rocker with High Inrush, Circuit code: 28, CP: ON-NONE-OFF, Illuminated, 2-P, 1-T, 22A at 125 Vac, 16A at 250 Vac, 6A at 125 Vac, 10A at 14VT, ENEC: 16(4)A at 250V, 1 hp at 125-250 Vac, 0.250-inch spade term, Black frame, 125V lamp

General specifications

Product Name
Hi-Lite Rocker with High Inrush

Catalog Number
2600HR11E

UPC
782116551521

Product Length/Depth
1.197 in

Product Height
0.982 in

Product Width
1.023 in

Warranty
Eaton Selling Policy 25-000, two (2) years from the date of shipment, excluding incandescent bulbs. LEDs and X Series products are warrantied for one (1) year from the date of shipment.

defaultTaxonomyAttributeLabel

Amperage Rating

22A at 125 Vac, 16A at 250 Vac, 6A at 125 Vac, 10A at 14VT, ENEC: 16(4)A at 250V

Frame color

Black

Horsepower

1 hp at 125-250 V

Lamp voltage

125 Vac

Number Of Poles

Two-pole

Circuit number

28

Circuit position center

None

Circuit position down

Off

Circuit position up

On

Illumination

Illuminated

Terminals

0.250 in spade

Throw type

Single-throw

Resources

Catalogs

Eaton's Volume 11—Vehicle and Commercial Controls

Specifications and datasheets

Eaton Specification Sheet - 2600HR11E



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia