Specifications



Photo is representative

Eaton TMC3-075-0-NP

Eaton Crouse-Hinds series TMC3 cable gland, 0.452" - 0.660" armor min./max., Armoured and non-armoured, Nickel-plated brass, 0.50-0.78" outer sheath min./max., Industrial protection, 3/4" NPT

General specifications	
PRODUCT NAME	Eaton Crouse-Hinds series TMC3 cable gland
CATALOG NUMBER	TMC3-075-0-NP
UPC	662276888531
PRODUCT LENGTH/DEPTH	3.33 in
PRODUCT HEIGHT	1.38 in
PRODUCT WIDTH	1.38 in
PRODUCT WEIGHT	0.97 lb

Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC IECEx/ATEX
NEC HAZARDOUS RATING	Class II, Division 1 Class III
NEMA RATING	4X
INGRESS PROTECTION (IP) RATINGS	IP66

Product specifications

PROTECTION TYPE	Industrial
GLAND TYPE	Armoured and non-armoured
CABLE TYPE	MC MC-HL TECK TC TC-ER TC-ER-HL ITC ITC-ER ITC-HL PLTC PLTC-ER ACIC
MATERIAL	Nickel-plated brass
THREAD SIZE	3/4"
THREAD TYPE	NPT
ARMOR (MIN/MAX)	0.452" - 0.660"
CABLE RANGE (MIN/MAX)	0.55" - 0.78"
OUTER SHEATH (MIN/MAX)	0.50-0.78"

Resources

BROCHURES	Crouse-Hinds series TMC3 Armored Gland brochure
CATALOGS	Crouse-Hinds series TMC3 Armored and Non-armored Cable Glands catalog page
CERTIFICATION REPORTS	TMC3 Armored Gland UL certification (Zones) TMC3 Armored Gland ATEX/IECEx certification TMC3 Armored Gland Canadian certification (Zones) TMC3 Armored Gland UL certification (Class and Division) TMC3 Armored Gland Canadian certification (Class and Division)
INSTALLATION INSTRUCTIONS	IF 1890 - TMC3 Cable Gland
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - TMC3-075-0-NP

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.