Specifications



Photo is representative

Eaton 7.2CAV2

VT fuse-link, medium voltage, 2 A, AC 7.2 kV, 220 x 41.3 mm, back-up, BS, IEC

General specifications	
PRODUCT NAME	Eaton Bussmann series medium auxiliary fuse
CATALOG NUMBER	7.2CAV2
UPC	051712837347
EAN	5027590487986
PRODUCT LENGTH/DEPTH	220 mm
PRODUCT HEIGHT	41.3 mm
PRODUCT WIDTH	41.3 mm
PRODUCT WEIGHT	700 g
WARRANTY	Not Applicable
CERTIFICATIONS	BS IEC
GLOBAL CATALOG	7.2CAV2

Product specifications

AMPERAGE RATING	2 A
FUSE INDICATOR	Non Indicating
FUSE SIZE	220 x 41.3 mm
BREAKING CAPACITY	40 kA
INSTALLATION TECHNIQUE	Air
PERFORMANCE CAT ACCORDING TO IEC 60282-1	Back-up
PRODUCT APPLICATION	Auxiliary transformer protection
RATED FREQUENCY - MAX	62 Hz
RATED FREQUENCY - MIN	45 Hz
RELEASE CHARACTERISTIC	Other
STANDARD	IEC
UTILIZATION CATEGORY	Other
VOLTAGE TYPE	AC
WITH STRIKER	No
CLASS	Class back-up
BARRELS	1
CONSTRUCTION TYPE	Bolt-on
FUSE SHAPE	Cylindrical
RESISTANCE	0.89 ohms
INTERRUPT RATING	40 kAIC
CONNECTION	Ferrule end x ferrule end
CONSTRUCTION SIZE	220 x 41.3 mm
VOLTAGE RATING	7.2 kV
TYPE	fuse
APPLICATION	Protection of auxiliary transformers
FUSE TYPE	CAV

Resources

BROCHURES	eaton-bussmann-series-product-range-overview-brochure-br134002en-en-us.pdf eaton-bussmann-circuit-protection-brochures-en.pdf
CATALOGS	7.2CAV2~Eaton Bussmann series medium auxiliary fuse Bussmann series complete full line catalog no. 1007
MCAD MODEL	eaton-mv-potential-transformer-gen-purp-fuses-mcad-3d-models-7-2cav.stp

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.