Specifications



Photo is representative





Eaton ENRB21201 M4

Eaton Crouse-Hinds series Ark-Gard ENR Premier receptacle assembly, 20A, Single cover, 50-400 Hz, Copper-free aluminum, 5-20R, Single-gang , Group B rating, Dead end, 3/4", 125 Vac

General specifications	
PRODUCT NAME	Eaton Crouse-Hinds series Ark-Gard ENR Premier receptacle assembly
CATALOG NUMBER	ENRB21201 M4
UPC	662276468382
PRODUCT LENGTH/DEPTH	6.78 in
PRODUCT HEIGHT	6.75 in
PRODUCT WIDTH	3.5 in
PRODUCT WEIGHT	13.8 lb
PRODUCT TYPE	Receptacle assembly

Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III
NEMA RATING	3 3R 7 9 12

Resources

CATALOGS	Ark-Gard ENR Premier Explosionproof NEMA Locking Devices catalog page
CERTIFICATION REPORTS	Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices UL certification - ENR and ENP Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices Canadian certification - ENR and ENP
INSTALLATION INSTRUCTIONS	IF 1424 - DSD, GFS, CPS and ENR Replacement Covers IF 344 - Ark-Gard ENR Receptacles ENP Model M97 Plugs IF 1588 - ENR M4 Series Receptacles
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - ENRB21201 M4

Product specifications

NUMBER OF GANGS	Single-gang
AMPERAGE RATING	20A
VOLTAGE RATING	125 Vac
STYLE	Dead end
TRADE SIZE	3/4"
NEMA CONFIGURATION	5-20R
COVER TYPE	Single
MATERIAL	Copper-free aluminum
FREQUENCY RATING	50-400 Hz
SPECIAL FEATURES	Group B rating

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.