# Product data sheet

Specifications



## License, EcoStruxure Operator Terminal Expert, professional, 3.x buildtime, entity, 100 stations, perpetual, digital

HMIPELCZLEPAZZ

To be discontinued

To be discontinued on: Jun 30, 2026

To be end-of-service on: Dec 31, 2028

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | EcoStruxure Operator Terminal Expert |
| **Product or Component Type** | License |
| **Format** | Digital |
| **Software Type** | Professional |
| **Type of License** | Node locked license |
| **Variant** | Buildtime |
| **Software Version** | V3.5 SP1 |
| **Operating system requirement** | Windows 10 64 bit |
| **System Requirements** | 8 GB RAM<br>30 GB hard-drive space |
| **User Language** | English<br>Italian<br>Chinese<br>Spanish<br>French<br>German<br>Portuguese<br>Korean |

## Complementary

| | |
|---|---|
| **License category** | Perpetual |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Communication port protocol** | CANopen slave<br>Couzet Automation millenium 3 FBD<br>Emerson Industrial Automation Modbus SIO master<br>Control Techniques Modbus SIO master<br>Emerson Process Management ROC Plus Ethernet<br>Emerson Process Management ROC SIO<br>HTTP<br>IPsec<br>Mitsubishi A series Ethernet<br>Mitsubishi FX series CPU direct<br>Mitsubishi FX series Ethernet<br>Mitsubishi iQ-R/F series Ethernet SLMP client<br>Mitsubishi Q series CPU direct<br>Mitsubishi Q series QnU CPU Ethernet<br>Mitsubishi Q/QnA series serial<br>Modbus Organization Modbus SIO ASCII master<br>Modbus Organization Modbus SIO master<br>Modbus Organization Modbus SIO slave<br>Modbus Organization Modbus TCP master<br>Modbus Organization Modbus TCP slave<br>Omron CS/CJ/CP series host link<br>Omron CS/CJ/CP/NX series Ethernet<br>Omron CS/CJ/NJ/NX series Ethernet/IP<br>Profibus DP slave<br>Rockwell Automation EtherNet/IP<br>Rockwell Automation DH485<br>Schneider Electric Modbus SIO master<br>Schneider Electric Modbus TCP master<br>Schneider Electric Modbus TCP master via USB<br>Schneider Electric Machine expert network<br>Schneider Electric PacDrive<br>Schneider Electric Uni-Telway<br>Schneider Electric Zelio Logic<br>Siemens Simatic S7 Ethernet<br>Siemens Simatic S7 MPI direct<br>Siemens TIA portal Ethernet<br>websocket<br>Rockwell Automation DF1<br>OPC UA Foundation OPC UA server |
| **Previous software version** | V3.5 |
| **Software Function** | Professional screen design<br>Simulation<br>Alarms and events<br>Blocky script<br>Convertors<br>Dockable windows interface environment<br>Export with CSV and tab delimiter<br>Import with CSV and tab format<br>Data and operation logging<br>Multi language development<br>Multi language tables<br>Object binding and properties<br>Target binding and properties<br>Project transfer (Ethernet, filesystem, USB cable)<br>Recipes<br>Screens (contents and folders)<br>Security (levels, project, users)<br>Project and application settings<br>System keypad<br>Text script<br>Color themes<br>Variable (arrays, binding, properties, structures)<br>Online and integrated help system<br>OPC UA Server<br>Web server API |
| **Range Compatibility** | Harmony GTU<br>Harmony GTUX<br>Harmony ST6<br>Harmony STM6<br>Harmony STO7<br>Harmony iPC |
| **Hosting option** | On-premise |
| **License size** | Entity (100 station) |

| | |
|---|---|
| **Processor requirement** | Intel core i3 8th generation<br>Intel core i5 8th generation |
| **Display resolution** | 1280 x 720 pixels HD |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10MC222569 |
| **Discount Schedule** | 0MC2 |
| **GTIN** | 3606481069986 |
| **Returnability** | No |
| **Country of origin** | US |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Use Longer

#### Lifetime extension

| | |
|---|---|
| Repair | No |

Offer Marketing Illustration

**Product benefits / Features**



Offer Marketing Illustration

**Product benefits / Features**

