Product data sheet

Specifications



TeSys Deca thermal overload relays - remote electrical stop - 110 V DC/ AC

LAD703F

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Product or Component Type	Electrical remote stop
Device short name	LAD
Accessory / separate part category	Electrical accessory
Product Compatibility	LR3D01...D35 LR3D313...LR3D365 LRD01...35 LRD313...LRD365 LR9G
[Uc] control circuit voltage	110 V AC 50/60 Hz 110 V DC

Complementary

Maximum inrush power in VA	100 VA
Inrush power in W	0…100 W
Product Weight	0.20 lb(US) (0.09 kg)

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0I12
GTIN	3389110347128
Returnability	Yes
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.890 in (4.800 cm)
Package 1 Width	1.890 in (4.800 cm)
Package 1 Length	2.087 in (5.300 cm)
Package weight(Lbs)	3.704 oz (105.000 g)
Unit Type of Package 2	S01
Number of Units in Package 2	32
Package 2 Height	5.906 in (15.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	5.906 in (15.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	7.945 lb(US) (3.604 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**Yes**
SCIP Number	**9d4e9022-9c99-4050-a464-dc9418df3f83**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**