
# Product data sheet

Specifications



## One symmetric mounting rail 35x7.5 L2000mm type B, Order by Multiples of 10 units

NSYSDR200B

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Anwendung** | Multi-purpose |
| **Range** | PanelSeT |
| **Product or Component Type** | Rail |
| **Accessory / separate part category** | Mounting accessory |
| **Type of rail** | Symmetrical DIN |
| **Enclosure nominal dimensions** | - |
| **Range compatibility** | PanelSeT |
| **Device composition** | 1 rail |
| **Quantity per Set** | Set of 10 |

## Complementary

| | |
|---|---|
| **Material** | galvanised steel |
| **Surface Finish** | Not perforated |
| **Fixing mode** | By fixing element - structure of enclosure |
| **Adjustment** | Continuous adjustment<br>Pitch 25 mm |
| **Length** | 78.7 in (2000 mm) |
| **Height** | Nominal: 0.3 in (7.2 mm) |
| **Width** | Nominal: 1.4 in (35 mm) |
| **thickness** | 0.04 in (1 mm) |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10ES180036 |
| **Discount Schedule** | 0ES1 |
| **GTIN** | 3606480184321 |
| **Returnability** | Yes |
| **Country of origin** | ES |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 0.157 in (0.400 cm) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 1 Width** | 1.575 in (4.000 cm) |
| **Package 1 Length** | 79.528 in (202.000 cm) |
| **Package weight(Lbs)** | 23.633 oz (670.000 g) |
| **Unit Type of Package 2** | CAR |
| **Number of Units in Package 2** | 10 |
| **Package 2 Height** | 1.575 in (4.000 cm) |
| **Package 2 Width** | 1.575 in (4.000 cm) |
| **Package 2 Length** | 79.528 in (202.000 cm) |
| **Package 2 Weight** | 14.771 lb(US) (6.700 kg) |
| **Unit Type of Package 3** | PAL |
| **Number of Units in Package 3** | 500 |
| **Package 3 Height** | 19.685 in (50.000 cm) |
| **Package 3 Width** | 79.528 in (202.000 cm) |
| **Package 3 Length** | 47.244 in (120.000 cm) |
| **Package 3 Weight** | 826.734 lb(US) (375.000 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACh Regulation | Free of Substances of Very High Concern above the threshold |
| PVC free | Yes |
| Silicon free | Yes |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | No |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | No need of specific recycling operations |
| Take-back | No |