Product data sheet

Specifications



Climasys CC - temperature sensor - temperature range -30 to 80 °C - cord=3m

NSYCCASTE

Product availability: Stock - Normally stocked in distribution facility

Main

Range	ClimaSys
Product name	ClimaSys CC
Product or Component Type	Temperature sensor
Accessory / separate part destination	For electronic hygrotherm For electronic thermostat

Complementary

Temperature setting range	-40…176 °F (-40…80 °C)
Mounting Location	On profiled mounting plate On DIN rail On mounting plate Cross rails
Cable length	9.8 ft (3 m)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480632136
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.362 in (6.000 cm)
Package 1 Width	2.362 in (6.000 cm)
Package 1 Length	7.874 in (20.000 cm)
Package weight(Lbs)	4.656 oz (132.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	75
Package 2 Height	12.205 in (31.000 cm)
Package 2 Width	12.205 in (31.000 cm)
Package 2 Length	24.803 in (63.000 cm)
Package 2 Weight	25.741 lb(US) (11.676 kg)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	3452f1a3-f13d-4adf-84ba-2572bcc8e35c
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative


18200108TSONDA




ST
Schneider Electric