# Product data sheet

Specifications



## Perforated mounting plate, PanelSeT SFN, PanelSeT SF, SM, for electrical enclosure W1000mm, galvanized steel, H600mm

NSYSTMP60100

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range** | PanelSeT |
| **Accessory / separate part category** | Mounting accessory |
| **Product or Component Type** | Mounting plate |
| **Device Application** | Multi-purpose |
| **Enclosure nominal dimensions** | - |
| **Mounting plate description** | Telequick perforated |
| **Range compatibility** | PanelSeT SF<br>PanelSeT SM<br>PanelSeT SFX<br>PanelSeT SMX |
| **Device composition** | 1 mounting plate<br>fixing elements |
| **Quantity per Set** | Set of 1 |
| **Material** | steel |
| **Surface Finish** | Zinc coated |

## Complementary

| | |
|---|---|
| **Fixing mode** | By fixing element - on structure |
| **Height** | Fixing centers: 22.6 in (575 mm)<br>23.6 in (600 mm) |
| **Width** | Nominal: 39.4 in (1000 mm)<br>35.7 in (908 mm) |
| **Cut-out dimensions** | 11 x 26 mm |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10ES180036 |
| **Discount Schedule** | 0ES1 |
| **GTIN** | 3606485133171 |
| **Returnability** | No |
| **Country of origin** | IT |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 1 Height** | 1.181 in (3.000 cm) |
| **Package 1 Width** | 23.622 in (60.000 cm) |
| **Package 1 Length** | 35.827 in (91.000 cm) |
| **Package weight(Lbs)** | 9.744 lb(US) (4.420 kg) |
| **Unit Type of Package 2** | PAM |
| **Number of Units in Package 2** | 48 |
| **Package 2 Height** | 36.220 in (92.000 cm) |
| **Package 2 Width** | 39.370 in (100.000 cm) |
| **Package 2 Length** | 47.244 in (120.000 cm) |
| **Package 2 Weight** | 496.040 lb(US) (225.000 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACh Regulation | Free of Substances of Very High Concern above the threshold |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | No |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | No need of specific recycling operations |
| Take-back | No |