Product data sheet

Specifications



Current transformer, TeSys LT6, 200:1, class 5P accuracy, diameter 35mm

LT6CT2001

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	TeSys
Device short name	LT6CT
Product or Component Type	Current transformer
Range compatibility	TeSys TeSys T motor controller

Complementary

Current transformer ratio	200/1
Accuracy class	Class 5P
Precision limit factor	15
[Ui] Rated Insulation Voltage	690 V
Diameter	1.4 in (35 mm)
Cable cross section	0.05 in² (30 mm²)
Height	4.2 in (107 mm)
Width	3.7 in (95 mm)
Depth	1.0 in (25 mm)
Product Weight	1.21 lb(US) (0.55 kg)

Environment

Standards	BS 7626 IEC 60185
Maximum ambient air temperature for operation	122 °F (50 °C)

Ordering and shipping details

Category	US10I1222338
Discount Schedule	0I12
GTIN	3389119405348
Returnability	No
Country of origin	GB

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.181 in (3.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	4.921 in (12.500 cm)
Package 1 Length	4.173 in (10.600 cm)
Package weight(Lbs)	15.873 oz (450.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	21.098 lb(US) (9.570 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	78b0d24c-0e62-4f91-9397-1958e4735328
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.