
Product data sheet

Specifications



Standard filter G3 for outlet grille or fan cut-out 291x291mm ext. dim 336x316x18mm

NSYCAF291

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	ClimaSys
Product name	ClimaSys CA
Product or Component Type	Filter
Range compatibility	ClimaSys ClimaSys CV Prisma Prisma P Prisma Prisma G
Accessory / separate part category	Thermal management accessory

Complementary

Mounting Location	Between enclosure and outlet grille
Accessory / separate part destination	Outlet grille 336 x 316 mm
Quantity per Set	Set of 5
Suitable for	291 x 291 mm cut-out
Width	12.4 in (316 mm)
Height	13.2 in (336 mm)
thickness	0.3 in (8 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	03606480151637
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.575 in (4.000 cm)
Package 1 Width	2.756 in (7.000 cm)
Package 1 Length	12.992 in (33.000 cm)
Package weight(Lbs)	0.423 oz (12.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	5

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	1.575 in (4.000 cm)
Package 2 Width	13.780 in (35.000 cm)
Package 2 Length	12.992 in (33.000 cm)
Package 2 Weight	2.116 oz (60.000 g)
Unit Type of Package 3	CAR
Number of Units in Package 3	50
Package 3 Height	15.748 in (40.000 cm)
Package 3 Width	15.748 in (40.000 cm)
Package 3 Length	23.622 in (60.000 cm)
Package 3 Weight	21.164 oz (600.000 g)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**0.1 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**0.1 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**61d9d3f3-5a49-48f8-8056-1a5ad0ad4c76**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
PVC free	**Yes**
Silicon free	**Yes**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**8**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**