Product data sheet

Specifications



cable for Modbus serial link, Altistart 48, 1 RJ45, 1 SUB D 15, 3m

VW3A8306

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Accessory / separate part category	Connection accessories
Accessory / Separate Part Type	Connecting cable
Accessory / separate part designation	Cable for Modbus serial link
Product Compatibility	TSXSCA62 TSXSCA64
Accessory / separate part destination	Modbus connection
Range Compatibility	Altivar Harmony HMI GTO Altistart Lexium SD3
Cable length	9.8 ft (3 m)
Electrical connection	1 male connector RJ45 1 male connector SUB-D 15

Complementary

Product Weight	0.33 lb(US) (0.15 kg)

Ordering and shipping details

Category	US1CP1G22579
Discount Schedule	CP1G
GTIN	3389110250886
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.378 in (3.500 cm)
Package 1 Width	6.220 in (15.800 cm)
Package 1 Length	7.205 in (18.300 cm)
Package weight(Lbs)	5.503 oz (156.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	40
Package 2 Height	11.811 in (30.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	15.481 lb(US) (7.022 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	320
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	150.541 lb(US) (68.284 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**