Product data sheet

Specifications



Standard filter G3 for outlet grille or fan cut-out 125x125mm ext dim 170x150mm

NSYCAF125

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	ClimaSys
Product name	ClimaSys CA
Product or Component Type	Filter
Range compatibility	ClimaSys ClimaSys CV Prisma Prisma P
Accessory / separate part category	Thermal management accessory

Complementary

Mounting Location	Between enclosure and outlet grille
Accessory / separate part destination	Outlet grille 170 x 150 mm
Quantity per Set	Set of 5
Suitable for	125 x 125 mm cut-out
Width	Cut-out: 4.9 in (125 mm) External: 5.9 in (150 mm)
Height	Cut-out: 4.9 in (125 mm) External: 6.7 in (170 mm)
thickness	0.3 in (8 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480151613
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.236 in (0.600 cm)
Package 1 Width	4.921 in (12.500 cm)
Package 1 Length	4.921 in (12.500 cm)
Package weight(Lbs)	0.106 oz (3.000 g)
Unit Type of Package 2	BB1

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	5
Package 2 Height	1.181 in (3.000 cm)
Package 2 Width	4.921 in (12.500 cm)
Package 2 Length	4.921 in (12.500 cm)
Package 2 Weight	0.529 oz (15.000 g)
Unit Type of Package 3	CAR
Number of Units in Package 3	50
Package 3 Height	7.874 in (20.000 cm)
Package 3 Width	7.874 in (20.000 cm)
Package 3 Length	11.811 in (30.000 cm)
Package 3 Weight	5.291 oz (150.000 g)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**0 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**0 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**61d9d3f3-5a49-48f8-8056-1a5ad0ad4c76**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
PVC free	**Yes**
Silicon free	**Yes**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**8**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**