Product data sheet

Specifications



4 adjustable screw jacks - 22mm - maximum load: 100kg per jack

NSYSPRJ

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Installation accessory
Product or Component Type	Feet
Application	Multi-purpose
For enclosure nominal dimensions	-
Range compatibility	PanelSeT PanelSeT SF suitable enclosure PanelSeT PanelSeT SM compact enclosure PanelSeT PanelSeT SD control desk PanelSeT PanelSeT SFX suitable enclosure PanelSeT PanelSeT SMX compact enclosure PanelSeT PanelSeT SDX control desk
Device composition	4 feets
Quantity per Set	Set of 1

Complementary

Material	Steel
Fixing mode	By screws - structure of enclosure
Adjustment	Adjustable in height every 22 mm
Permanent permissible load	220.5 lb(US) (100 kg)
Height	0.9 in (22 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606485132525
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.969 in (5.000 cm)
Package 1 Width	4.724 in (12.000 cm)
Package 1 Length	5.906 in (15.000 cm)
Package weight(Lbs)	6.067 oz (172.000 g)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	CAR
Number of Units in Package 2	20
Package 2 Height	7.874 in (20.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	8.369 lb(US) (3.796 kg)
Unit Type of Package 3	PAL
Number of Units in Package 3	160
Package 3 Height	47.244 in (120.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	13.780 in (35.000 cm)
Package 3 Weight	92.594 lb(US) (42.000 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**1 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**0.9 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0.5 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**E893f0a0-d2cc-4011-9425-3873dde70142**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**98**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**