


Product data sheet

Specifications



One symmetric mounting rail
perforated 35x7.2 mm L2000 mm
type B, Order by Multiples of 10
units

NSYSDR200BD

Product availability: Stock - Normally stocked in distribution facility

Main

Anwendung	Multi-purpose
Range	PanelSeT
Product or Component Type	Rail
Device short name	TR
Accessory / separate part category	Mounting accessory
Type of rail	Symmetrical DIN
Enclosure nominal dimensions	-
Range compatibility	PanelSeT
Device composition	1 rail
Quantity per Set	Set of 10

Complementary

Material	galvanised steel
Surface Finish	Perforated
Fixing mode	By fixing element - structure of enclosure
Adjustment	Pitch 25 mm Continuous adjustment
Length	78.7 in (2000 mm)
Height	Nominal: 0.3 in (7.2 mm)
Width	Nominal: 1.4 in (35 mm)
thickness	0.04 in (1 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480184338
Returnability	Yes
Country of origin	IT

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	0.177 in (0.450 cm)
Package 1 Width	1.772 in (4.500 cm)
Package 1 Length	78.740 in (200.000 cm)
Package weight(Lbs)	23.280 oz (660.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	1.772 in (4.500 cm)
Package 2 Width	1.772 in (4.500 cm)
Package 2 Length	78.740 in (200.000 cm)
Package 2 Weight	14.551 lb(US) (6.600 kg)
Unit Type of Package 3	P2M
Number of Units in Package 3	800
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	78.740 in (200.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	1212.543 lb(US) (550.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No