SIEMENS

Data sheet 3SU1950-0DV80-0AA0

Locking device with cover, for pushbutton, selector switch with short handle/rotary knob, RONIS key-operated switch and potentiometer, 22 mm,

Product brand name	SIRIUS ACT
Product designation	Locking device
Design of the product	with cover for pushbuttons, for selectors with short actuator/rotary knob, RONIS key-operated switches and potentiometers
Product type designation	3SU1

General technical data

Protection class IP	IP66, IP67, IP69(IP69K)
Degree of protection NEMA rating	NEMA 1, 2, 3, 3R, 4, 4X, 12

Installation/ mounting/ dimensions

(height)	47.5 mm
Width	43 mm
Depth	33.3 mm

Accessories

Material of accessory	Metal
Color of accessory	Silver

Certificates/approvals

Subject to change without notice
© Copyright Siemens

General Product Approval			Declaration of Conformity	Test Certific-ates
CSA	UL	EAC	EG-Konf.	Miscellaneous	Type Test Certific-ates/Test Report

Marine / Shipping

ABS | LRS | PRS | RINA | RMRS

other

Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1950-0DV80-0AA0

Cax online generator
http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1950-0DV80-0AA0

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3SU1950-0DV80-0AA0

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1950-0DV80-0AA0&lang=en

Subject to change without notice
© Copyright Siemens



last modified: 08/10/2019

Subject to change without notice
© Copyright Siemens