Rittal – The System.

Faster – better – everywhere.

One-piece consoles Stainless steel – TP 2684.600

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

One-piece consoles Stainless steel – TP 2684.600

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Material:	Housing: Stainless steel 1.4301 (AISI 304), 1.5 mm Door or double door and console lid: Stainless steel 1.4301 (AISI 304), 2.0 mm Mounting plate: Carbon steel, 3.0 mm
Surface finish:	Housing, door, console lid and base plates: Brushed, grain 240 Mounting plate: Zinc-plated
Protection category IP to IEC 60 529:	IP 55
Protection category NEMA:	NEMA 12
Supply includes:	Housing, solid back and sides Door or double door at front, with locking rod Console lid with lid stay and cam lock latched in the enclosure Locks with double-bit insert Base plates, divided Mounting plate
Product modification:	From production date 1st March 2015, the mounting plates of the stainless steel upright consoles are no longer pre-assembled; instead, they will be found on the rear panel of the housing. The advantage for you: The mounting plate no longer has to be removed for machining.
Base material:	Carbon steel

Product features

Dimensions:	Height: 960 mm (38 ″) Width: 800 mm (31 ″) Depth (top): 480 mm (19 ″) Depth (bottom): 400 mm (16 ″)

Mounting plate:	Height: 780 mm (31 ″) Width: 730 mm (29 ″)
Number of doors:	1
Packaging unit:	1 pc(s).
Weight/packaging unit:	65.2 kg (143.7 lb.)
EAN:	4028177031357
Customs tariff number:	94032080
ETIM 6.0:	EC000784
ETIM 5.0:	EC000784
eCl@ss 8.0/8.1:	27180504
eCl@ss 7.0/7.1:	27180504
eCl@ss 6.0/6.1:	27180504
eCl@ss 5.1/5.1.4:	27180503
Product description (long):	TP One-piece console, WHD1: 800x960x400/T2: 480 mm, Stainless steel 1.4301

Approvals

Approvals:	CSA RRR Russian Maritime Register of Shipping TÜV UL
Certificates:	EAC
Declarations:	Declaration of conformity