Rittal – The System.

Faster – better – everywhere.

System Window for TS, SE – FT 2735.520

Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

System Window for TS, SE – FT 2735.520

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version:	30 section
Description:	Utilized to cover display and operating instruments or cut-outs, and provide protection from dirt and moisture as well as unauthorized access.
Benefits:	Base frame: Easily screw-fastened to the door thanks to modified dimensions (tubular door frame may be used as a drilling template). Base frame: Readily height-adjustable. Base frame: Stabilizes the door cut-out. Base frame: Conceals the cut edge. Base frame: There is no dirt on the seal, the glass is protected from being lifted out, dirt cannot drop inside, and moisture cannot run behind the window when opening. Base frame: Frame section height 30 mm or 60 mm Viewing window: Made from single-pane safety glass: high level of resistance to solvents and scratches, anti-static, reduced risk of injury if broken. Viewing window: Hinge with 180° opening angle, easily inserted.
Material:	Extruded aluminum section with die-cast zinc corner pieces and single-pane safety glass.
Surface finish:	Base frame: Powder coated on the outside in RAL 7035, Hinge and lock section: Natural-anodized
Protection category IP to IEC 60 529:	IP 54
Mounting tip:	Standard double-bit lock insert may be exchanged for lock inserts 27 mm, type A, and/or for lock system Ergoform-S (except H = 270 mm).

Product features

Suitable for:	Enclosure type: TS 8 Enclosure type: SE

	Width: 600 mm (24 ″)
Dimensions:	Height: 470 mm (19 ″) Width: 500 mm (20 ″) Depth: 47 mm (1.9 ″)
Viewing area:	Height: 398 mm (16 ″) Width: 363 mm (14 ″)
Build depth for components (max.):	33 mm (1.3 ″)
Packaging unit:	1 pc(s).
Weight/packaging unit:	4.5 kg (9.9 lb.)
EAN:	4028177476301
Customs tariff number:	76101000
ETIM 6.0:	EC002527
ETIM 5.0:	EC002527
eCl@ss 8.0/8.1:	27182301
eCl@ss 7.0/7.1:	27182301
eCl@ss 6.0/6.1:	27182301
eCl@ss 5.1/5.1.4:	27182301
Product description (long):	FT System window, for TS, SE, 30 section, WHD: 500x470x47 mm, for W: 600 mm

Approvals

Certificates:	EAC