Rittal – The System.

Faster – better – everywhere.

PS Punched Rails, 23 x 23 mm for TS, SE – SZ 4169.000

Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

PS Punched Rails, 23 x 23 mm for TS, SE – SZ 4169.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material:	Carbon steel
Surface finish:	Zinc-plated

Product features

Suitable for:	Enclosure type: TS 8 Enclosure type: SE
Dimensions:	Length: 295 mm (12 ″)
Installation options:	On the vertical enclosure section: Directly via support brackets TS, via adapter rail for PS compatibility in conjunction with angle brackets, mounting brackets or support brackets PS. On the horizontal enclosure section: Directly via angle brackets, mounting brackets or support brackets PS
Packaging unit:	12 pc(s).
Weight/packaging unit:	2.26 kg (5 lb.)
EAN:	4028177093102
Customs tariff number:	73269098
ETIM 6.0:	EC002625
ETIM 5.0:	EC000386

eCl@ss 8.0/8.1:	27189234
eCl@ss 7.0/7.1:	27189234
eCl@ss 6.0/6.1:	27189234
eCl@ss 5.1/5.1.4:	27189232
Product description (long):	SZ Punched rail 23 x 23 mm, for TS, SE, for WHD: 400 mm, L: 295 mm