Rittal – The System.

Faster – better – everywhere.

Lock Insert – TS 8611.100

Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Lock Insert – TS 8611.100

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version:	F
Material:	Die-cast zinc

Product features

Suitable for:	Enclosure type: CM Enclosure type: EL 3-part 3 - 15 U Enclosure type: EL 3-part 18 - 21 U Enclosure type: TS Enclosure type: SE Enclosure type: PC enclosure door Enclosure type: IW Enclosure type: TS 8 stainless steel Enclosure type: SE stainless steel
Installation in handle system:	Comfort handle for lock inserts Comfort handle for padlock and lock inserts Folding lever handle for lock inserts Folding lever handle for padlock and lock inserts Mini-comfort handle for lock inserts
Lock Insert:	7 mm square
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.02 kg (0 lb.)
EAN:	4028177211940

Â© Rittal 2018

Customs tariff number:	83015000
ETIM 6.0:	EC000743
ETIM 5.0:	EC000743
eCl@ss 8.0/8.1:	27409218
eCl@ss 7.0/7.1:	27409218
eCl@ss 6.0/6.1:	27409218
eCl@ss 5.1/5.1.4:	27189256
Product description (long):	TS Lock insert, version F, Die-cast zinc, 7 mm square

Approvals

Certificates:	EAC