Rittal – The System.

Faster – better – everywhere.

Viewing Windows Stainless steel – FT 2793.560

Date : May 25, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Viewing Windows Stainless steel – FT 2793.560

created: 25.05.2018 build on www.rittal.com/us-en





Product description

Description:	Equipped as standard with internal 130° hinges and all-round seal.
Material:	Stainless steel 1.4301 (AISI 304) Single-pane safety glass
Protection category IP to IEC 60 529:	IP 54
Mounting tip:	Standard double-bit lock insert may be exchanged for 27 mm lock inserts, type A, and Ergoform-S handle
Supply includes:	Assembly components

Product features

Dimensions:	Height: 600 mm (24 ″) Width: 522 mm (21 ″) Depth: 38 mm (1.5 ″)
Viewing area:	Height: 543 mm (21 ″) Width: 408 mm (16 ″)
Build depth for components (max.):	31 mm (1.2 ″)
Packaging unit:	1 pc(s).
Weight/packaging unit:	6.5 kg (14.3 lb.)
EAN:	4028177149656

© Rittal 2018

Customs tariff number:	76101000
ETIM 6.0:	EC000747
ETIM 5.0:	EC000747
eCl@ss 8.0/8.1:	27182204
eCl@ss 7.0/7.1:	27182301
eCl@ss 6.0/6.1:	27182301
eCl@ss 5.1/5.1.4:	27182301
Product description (long):	FT Viewing window, WHD: 522x600x38 mm, Stainless steel 1.4301

Approvals

Certificates:	EAC