Rittal – The System.

Faster – better – everywhere.

180° hinges – DK 7824.525

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

180° hinges – DK 7824.525

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Material:	Die-cast zinc
Color:	RAL 7035
Supply includes:	Assembly components
Note:	The protection category of the enclosure can be reduced. Not for divided doors. Door stop consistent within a bayed enclosure suite.

Product features

Suitable for:	Enclosure type: TS 8 bayed enclosure suites with comfort handle Enclosure type: TS IT
Suitable for doors:	Aluminum glazed door Aluminum carbon steel door, vented
Door opening angle:	140°
Packaging unit:	4 pc(s).
Weight/packaging unit:	1.62 kg (3.6 lb.)
EAN:	4028177302747
Customs tariff number:	83021000

Â© Rittal 2018

ETIM 6.0:	EC001167
ETIM 5.0:	EC001167
eCl@ss 8.0/8.1:	27409219
eCl@ss 7.0/7.1:	27409219
eCl@ss 6.0/6.1:	27409219
eCl@ss 5.1/5.1.4:	27189237
Product description (long):	DK-TS8 180° hinge, For glazed doors, TS, TS IT

Approvals

Certificates:	EAC