Rittal – The System.

Faster – better – everywhere.

Side panels, divided With lockable cam lock, for TS IT – DK 5501.065

Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Side panels, divided With lockable cam lock, for TS IT – DK 5501.065

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Benefits:	Easy to use Tool-free mounting Cam lock including 3524 E security lock Internal latch for optional retrofitting
Material:	Carbon steel
Surface finish:	Spray-finished
Color:	RAL 9005
Supply includes:	Top piece Pedestal Ground conductor Fasteners

Product features

Suitable for:	Enclosure type: TS IT Height: 2200 mm (87 ″) Depth: 1000 mm (39 ″)
Packaging unit:	1 pc(s).
Weight/packaging unit:	22.2 kg (48.9 lb.)
EAN:	4028177678835

Customs tariff number:	94032080
ETIM 6.0:	EC002524
ETIM 5.0:	EC002524
eCl@ss 8.0/8.1:	27182101
eCl@ss 7.0/7.1:	27182101
eCl@ss 6.0/6.1:	27182101
eCl@ss 5.1/5.1.4:	27182101
Product description (long):	DK Side panel, divided, For TS IT, HxD: 2200x1000 mm, Including cam lock with secure lock 3524 E, Sheet steel