# Product data sheet

Specifications



## Cover, QO, for 30 space load center, flush, gray

QOC30UF

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Marketing Trade Name** | QO |
| **Product Type** | Load Center Cover |

## Complementary

| | |
|---|---|
| **Cover Type** | Flush cover |
| **Product Compatibility** | For indoor load center |
| **Surface Finish** | Baked enamel Gray |
| **Number of Spaces** | 30 |
| **Height** | 31.06 in (788.92 mm) |
| **Width** | 15.44 in (392.18 mm) |
| **Depth** | 0.7 in (17.8 mm) |
| **Product Weight** | 13.400 lb(US) (6.078 kg) |
| **Tightening Torque** | Cover 2.3 N.m |

## Environment

| | |
|---|---|
| **Enclosure Rating** | NEMA 1 indoor |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US1DE3A00001 |
| **Discount Schedule** | DE3A |
| **GTIN** | 785901745952 |
| **Returnability** | Yes |
| **Country of origin** | US |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 0.70 in (1.78 cm) |
| **Package 1 Width** | 15.44 in (39.22 cm) |
| **Package 1 Length** | 31.06 in (78.89 cm) |
| **Package weight(Lbs)** | 13.400 lb(US) (6.078 kg) |
| **Unit Type of Package 2** | PAL |
| **Number of Units in Package 2** | 81 |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 2 Height** | 39.50 in (100.33 cm) |
| **Package 2 Width** | 40.0 in (101.6 cm) |
| **Package 2 Length** | 48.00 in (121.92 cm) |
| **Package 2 Weight** | 878.999 lb(US) (398.707 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **33 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **30 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **2 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0.1 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **0.6 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **No** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |
| California proposition 65 | **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov** |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | **No** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **89** |
| Circularity Profile | **No need of specific recycling operations** |
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.** |

Technical Illustration

**Dimensions**




Image of product / Alternate images

**Alternative**







Compatible products
QO 30-Space Indoor Load Center Flush Cover
MFG Model Number: QOC30UF
Compatible for use with (150A, 200A) (20, 24, 30 space) QO Indoor Load Center for flush mount installations









