Rittal – The System.

Faster – better – everywhere.

ESD connection point – DK 7752.950

Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ESD connection point – DK 7752.950

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	There is high risk of grounding issues when carrying out maintenance or conversion work on the enclosure. To protect sensitive electronic components, grounding can be provided through a standardized connection point (push-button). The connection point is connected to the enclosure frame by two screws and is directly conductive.
Material:	Carbon steel
Surface finish:	Zinc-plated
Supply includes:	Assembly components

Product features

Packaging unit:	1 pc(s).
Weight/packaging unit:	0.04 kg (0.1 lb.)
EAN:	4028177325227
Customs tariff number:	73269098
ETIM 6.0:	EC002625
ETIM 5.0:	EC002625
eCl@ss 8.0/8.1:	27189234

© Rittal 2018

eCl@ss 7.0/7.1:	27140320
eCl@ss 6.0/6.1:	27140320
eCl@ss 5.1/5.1.4:	27189215
Product description (long):	DK ESD connection point

Approvals

Certificates:	EAC