Rittal – The System.

Faster – better – everywhere.

Connection Plates – SV 9650.330

Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Connection Plates – SV 9650.330

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Applications:	For connecting laminated copper bars
Supply includes:	Fasteners

Product features

Suitable for busbars:	Type: Maxi-PLS 3200
Suitable for laminated copper bars:	Qty.: 2 Number of lamina: 10 Lamina thickness: 1 mm (0.04 ″) Lamina width: 32 mm (1.3 ″)
Packaging unit:	3 pc(s).
Weight/packaging unit:	1.24 kg (2.7 lb.)
EAN:	4028177239517
Customs tariff number:	85369010
ETIM 6.0:	EC002498
ETIM 5.0:	EC002498
eCl@ss 8.0/8.1:	27379201

© Rittal 2018

eCl@ss 7.0/7.1:	27400613
eCl@ss 6.0/6.1:	27400613
eCl@ss 5.1/5.1.4:	27370302
Product description (long):	SV Connection plate, clamping area WH: 32x20 mm, (Maxi-PLS 3200)

Approvals

Approvals:	UR
Certificates:	EAC
Declarations:	Declaration of conformity

© Rittal 2018