Rittal – The System.

Faster – better – everywhere.

Support section CP 180 open – CP 6218.210

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Support section CP 180 open – CP 6218.210

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description:	Attached to the connection components with 4 self-tapping screws in the screw channel. May be cut to any required length, no thread-tapping required. Open cable duct for easy servicing access and for pre-assembled cables with connectors; lockable via cover profile. X-shaped profiling for greater load capacity, large cable routing channels. Upper channel suitable for cables with large connectors (e.g. DVI or VGA) and available/usable throughout the entire system.
Material:	Support section: Extruded aluminum section Cover: Plastic
Color:	Support section: RAL 7035 Cover: RAL 7024
Supply includes:	Support section Clip-in lid

Product features

Dimensions:	Height: 160 mm (6.3 ″) Width: 90 mm (3.5 ″)
Length:	2000 mm (79 ″)
Packaging unit:	1 pc(s).
Weight/packaging unit:	23.2 kg (51.1 lb.)
EAN:	4028177683853

© Rittal 2018

Customs tariff number:	76042100
ETIM 6.0:	EC000882
ETIM 5.0:	EC000882
eCl@ss 8.0/8.1:	27400556
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189248
Product description (long):	CP Support section CP 180, open, L: 2000 mm

Approvals

Declarations:	Manufacturer's declaration

© Rittal 2018