Rittal – The System.

Faster – better – everywhere.

Adapter Power Pack For LED compact system light – SZ 4315.860

Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Adapter Power Pack For LED compact system light – SZ 4315.860

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Suitable for Model No.:	4140.810 4140.820 4140.830 4140.840

Product features

Rated operating voltage:	264 V
Power pack:	Input voltage: 100 - 230 V AC Output voltage: 24 V DC
Output current (max.):	1 A
Equipment (electrical):	Length of connection cable: 1800 mm (71 ″)
Rated insulation voltage:	300 V AC
Rated impulse withstand voltage, phase to phase:	6000 V AC
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.16 kg (0.4 lb.)
EAN:	4028177630185

Â© Rittal 2018

Customs tariff number:	85043121
ETIM 6.0:	EC002620
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27189261
eCl@ss 7.0/7.1:	27119116
eCl@ss 6.0/6.1:	27119116
eCl@ss 5.1/5.1.4:	27189241
Product description (long):	SZ Adaptor power pack, for System light LED compact, 100-230 V/24 V DC, 1 A

Approvals

Certificates:	EAC
Declarations:	Declaration of conformity