Rittal – The System.

Faster – better – everywhere.

Compact Panel – CP 6340.400

Date : May 24, 2018

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Compact Panel – CP 6340.400

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version:	with support arm connection 90 x 71 mm for CP 40, steel
Description:	For small operating units built into front panels. The front panel is inserted from the rear and secured with screw clamps. Special front panels with a material thickness of between 2 and 6 mm are possible. Rear panel optionally hinged on the left or right. Roof tray with cut-out and reinforcement for CP 40 support arm system, steel.
Material:	Roof tray, base tray: die-cast zinc Rear wall: Aluminum Side parts: Extruded aluminum section Screw cover: Plastic
Surface finish:	Roof tray, base tray, side parts: Powder-coated Rear panel: Natural anodized
Color:	RAL 7024
Protection category IP to IEC 60 529:	IP 65
Supply includes:	Roof tray Base tray Rear panel Side parts Screw cover Seal and screw clamp

Product features

For the configuration of subracks:	Suitable for front panel width: 252 mm (9.9 ″)

© Rittal 2018

Dimensions:	Height: 388 mm (15 ″) Width: 315 mm (12 ″) Depth: 87 mm (3.4 ″)
Suitable for front panels:	with height: 350 mm (14 ″) with width: 252 mm (9.9 ″)
Packaging unit:	1 pc(s).
Weight/packaging unit:	4.5 kg (9.9 lb.)
EAN:	4028177382725
Customs tariff number:	94032080
ETIM 6.0:	EC002504
ETIM 5.0:	EC002504
eCl@ss 8.0/8.1:	27180505
eCl@ss 7.0/7.1:	27180505
eCl@ss 6.0/6.1:	27180505
eCl@ss 5.1/5.1.4:	27180505
Product description (long):	CP Compact Panel, WHD: 315x388x87 mm, aluminum, for front panel WH 252x350 mm

Approvals

Declarations:	Declaration of conformity

© Rittal 2018