Rittal – The System.

Faster – better – everywhere.

Base configuration rail for CM, TP – CM 5001.370

Date : May 29, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Base configuration rail for CM, TP – CM 5001.370

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description:	Mounted in the housing depth on the available threaded bolts, no machining required. TS system punchings on two sides. Provides additional mounting options.
Material:	Carbon steel
Surface finish:	Zinc-plated
Supply includes:	Assembly components

Product features

Suitable for:	Depth: 400 mm (16 ″)
Packaging unit:	2 pc(s).
Weight/packaging unit:	1.07 kg (2.4 lb.)
EAN:	4028177620599
Customs tariff number:	73269098
ETIM 6.0:	EC002625
ETIM 5.0:	EC002625
eCl@ss 8.0/8.1:	27189234

eCl@ss 7.0/7.1:	23159101
eCl@ss 6.0/6.1:	23159101
eCl@ss 5.1/5.1.4:	27189250
Product description (long):	CM Base configuration rail, for CM, TP, for D: 400 mm