Rittal – The System.

Faster – better – everywhere.

C Rails for TS, SE – DK 7828.100

Date : May 24, 2018

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

C Rails for TS, SE – DK 7828.100

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	For direct external mounting between the vertical TS, SE enclosure sections. The C-section angle bracket is additionally required for mounting between the horizontal TS, SE enclosure sections. Because the attachment piece is designed for universal use, the C rails may optionally be attached to the inner or outer level of the TS 8 frame.
Material:	Carbon steel
Surface finish:	Zinc-plated
Supply includes:	Assembly components

Product features

Suitable for:	Enclosure type: TS Enclosure type: SE Width: 1000 mm (39 ″) Depth: 1000 mm (39 ″)
Dimensions:	Length: 898 mm (35 ″)
Packaging unit:	4 pc(s).
Weight/packaging unit:	3.14 kg (6.9 lb.)
EAN:	4028177235144
Customs tariff number:	73269098

© Rittal 2018

ETIM 6.0:	EC000386
ETIM 5.0:	EC000386
eCl@ss 8.0/8.1:	27400501
eCl@ss 7.0/7.1:	23159101
eCl@ss 6.0/6.1:	23159101
eCl@ss 5.1/5.1.4:	27189250
Product description (long):	DK C rails, L: 898 mm, For WxD: 1000 mm, For TS, SE

© Rittal 2018