Product data sheet

Specifications



Incandescent bulb, Harmony XB4, BA9s, clear, 1.2W, 6V AC DC

DL1CB006

Product availability: Stock - Normally stocked in distribution facility

Main

Range Compatibility	Harmony XAC
Accessory / Separate Part Type	Incandescent bulb
Accessory / separate part category	Lighting accessory
Accessory / separate part destination	Illuminated push-button
[Us] rated supply voltage	6 V AC/DC
Signalling colour	Clear
Sale per indivisible quantity	10
Product or Component Type	Incandescent bulb

Complementary

Power dissipation in W	1.2 W
Bulb base	BA 9s
Diameter	0.4 in (11 mm)
Length	1.1 in (28 mm)

Ordering and shipping details

Category	US10CS222466
Discount Schedule	0CS2
GTIN	3389110300253
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.378 in (3.500 cm)
Package 1 Width	1.772 in (4.500 cm)
Package 1 Length	0.541 in (1.375 cm)
Package weight(Lbs)	0.032 oz (0.900 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.378 in (3.500 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	1.772 in (4.500 cm)
Package 2 Length	4.331 in (11.000 cm)
Package 2 Weight	1.058 oz (30.000 g)
Unit Type of Package 3	S02
Number of Units in Package 3	800
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	6.058 lb(US) (2.748 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**3 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**0 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**3 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0 kg CO2 eq.**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**Yes**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**