Product data sheet

Specifications

Square D, ReactiVarâ„¢, split core current transformer, 20VA, 2000:5 A, 7x4"

TRAI2000SC07

Product availability: Stock - Normally stocked in distribution facility

Main

Range	Square D
Product or Component Type	Current transformer
Accessory / separate part category	Measurement accessory

Complementary

Range compatibility	Square D ReactiVar capacitor bank
Current transformer type	Split core
Primary operational current	2000 A
Secondary current	5 A
Network type	AC
Network Frequency	60 Hz
Current transformer ratio	2000/5
burden	20 VA
Mounting Location	Indoor use only
Width	Internal: 7.0 in (177.8 mm)
Height	Internal: 4 in (101.6 mm)

Ordering and shipping details

Category	US1DE2C00050
Discount Schedule	DE2C
GTIN	3606487021605
Returnability	No
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	7.00 in (17.78 cm)
Package 1 Width	4.00 in (10.16 cm)
Package 1 Length	5.04 in (12.8 cm)
Package weight(Lbs)	5.00009 lb(US) (2.268 kg)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Take-back	No