# Product data sheet

Specifications




## NEMA Motor Starter and contactor, Type S, start/stop push button kit, NEMA 1

9999SA2

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Product Range** | Type S |
| **Component type** | Push-button |
| **Used with** | contactor<br>starter |

## Complementary

| | |
|---|---|
| **NEMA size** | 1<br>00<br>2<br>0<br>3 |
| **Marking** | START-STOP |
| **Mounting Mode** | Panel-mounted |
| **Rated breaking capacity** | 3 A 120 V AC inductive control circuit UL 508<br>1.5 A 240 V AC inductive control circuit UL 508<br>0.6 A 600 V AC inductive control circuit UL 508<br>5 A 600 V AC resistive control circuit UL 508 |
| **Height** | 1.02 in (25.8 mm) |
| **Width** | 2.6 in (65.5 mm) |
| **Depth** | 24.0 in (609.6 mm) |
| **Product Weight** | 0.37 lb(US) (0.17 kg) |

## Environment

| | |
|---|---|
| **NEMA Degree of Protection** | NEMA 1 |
| **Product Certifications** | CSA<br>UL Listed<br>UL Recognized |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10CP121761 |
| **Discount Schedule** | 0CP1 |
| **GTIN** | 785901867234 |
| **Returnability** | Yes |
| **Country of origin** | MX |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 1.900 in (4.826 cm) |
| **Package 1 Width** | 3.900 in (9.906 cm) |
| **Package 1 Length** | 5.700 in (14.478 cm) |
| **Package weight(Lbs)** | 6.080 oz (172.365 g) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Use Better

#### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **Yes** |
| California proposition 65 | **WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov** |

### Use Longer

#### Lifetime extension

| | |
|---|---|
| Repair | **No** |

### Use Again

#### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | **No need of specific recycling operations** |
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.** |